


Beef Carcase Competition

2002 ROYAL MELBOURNE SHOW
RESULTS CATALOGUE



Beef Carcase Competition
presenting sponsors

The WEEKLY TIMES
THE VOICE OF THE COUNTRY SINCE 1869

coles

The Royal Melbourne
SHOW

RAS

The Royal Agricultural Society of Victoria – PUTTING THE BEST ON SHOW

2002 ROYAL MELBOURNE SHOW BEEF CARCASS CHAMPION AWARDS

GRAND CHAMPION CARCASS

Exh. 149 , H.A. Seeley, (CHAROLAIS), 85.4 points

RESERVE GRAND CHAMPION CARCASS

Exh. 129, The Kings School, (CHAROLAIS/ANGUS X HEREFORD), 85.1 points

CHAMPION STEER CARCASS - DOMESTIC

Exh. 129, The Kings School, (CHAROLAIS/ANGUS X HEREFORD), 85.1 points

CHAMPION STEER CARCASS – EXPORT

Exh. 149 , H.A. Seeley, (CHAROLAIS), 85.4 points

HIGHEST SCORING SCHOOL BRED AND PREPARED CARCASS

Exh. 103, Longerenong College, (CHAROLAIS/SHORTHORN x HEREFORD) 82.9 points

HIGHEST SCORING CARCASS IN CLASS 5

Exh. 129, The Kings School, (CHAROLAIS/ANGUS X HEREFORD), 85.1 points

BORTHWICK TROPHY

| EXH. NUMBERS | BREED | LIVE | CARCASS | TOTAL | AWARD |
|--------------|-----------------|------|---------|-------|-------|
| 3, 95, 47 | SHORTHORN | 94 | 238.6 | 332.6 | 1 |
| 142, 112, 76 | HEREFORD | 88 | 232.4 | 320.4 | 2 |
| 121, 80, 37 | MURRAY GREY | 90 | 229.3 | 319.3 | 3 |
| 71, 72, 135 | POLL HEREFORD | 89 | 228 | 317 | 4 |
| 1, 85, 90 | ANGUS | 92 | 224.9 | 316.9 | 5 |
| 39, 66, 154 | RED POLL | 87 | 220.7 | 307.7 | 6 |
| 141, 8, 145 | SANTA GERTRUDIS | 86 | 219.5 | 305.5 | 7 |

Class 2 VEALER/YEARLING 221-260 kg HSCW. Ideal fat depth 6-12 mm at the P8 rump site.

| Identification | | | | | Market Specifications (15 points) | | | | | | | | | | Saleable Meat Yield (40 points) | | | | | | | | | | Eating Quality (45 points) | | | | | | | | | | Results | |
|----------------|---------|------------------|-------------|---------|-----------------------------------|----------|---------|--------------|---------|-----------|-------------|----------------|-------------------|------------|---------------------------------|------------|--------------|------|------|--------------|----------|-------|-----------|---------------|----------------------------|----------|--------------|-----|-------------|------|---|----|----|----|---------|----|
| Tag No | Body No | Exhibitor | Breed Code | Sex S/F | Live Weight kg | WDA kg/d | HSCW kg | Wt. Pnltly % | Dress % | P8 Fat mm | Fat Col pts | Butt Shape A-E | Ribeye Area sq cm | Muscle PLS | NDX* | Rib Fat mm | Fat Yield* % | # | pH | Meat Col pts | Chip pts | Score | WAM/Oss % | Bos Indicus % | Mbl pts | Fat Dist | TOTAL Points | Rnk | Award HK HF | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 10 | 5 | 25 | 15 | 10 | 5 | 10 |
| 112 | 111 | NC/BSC VET | (HE) | M | 440 | 0.8 | 249.6 | 0.0 | 56.7 | 6 | 10 | 0 | 5 | 64.0 | 13.5 | 95 | 4 | 15.0 | 68.8 | 5.61 | 9.8 | 3 | 1 | 120 | 8.7 | 0.0 | 5.0 | 0 | 7.0 | 75.0 | | | | | | |
| 23 | 95 | LONGERENONG C | (HEXPH)(B) | M | 476 | 1.1 | 275.8 | -5.0 | 57.9 | 10 | 10 | 0 | 5 | 71.0 | 14.7 | 99 | 8 | 15.0 | 68.3 | 5.38 | 10.0 | 2 | 4 | 140 | 8.2 | 0.0 | 5.0 | 1 | 7.0 | 74.9 | | | | | | |
| 121 | 126 | THE GLEN MG | (MG) | M | 440 | 1.1 | 268.0 | -3.1 | 60.9 | 10 | 10 | 0 | 5 | 74.0 | 16.5 | 105 | 9 | 11.0 | 68.9 | 5.61 | 9.8 | 1C | 5 | 130 | 8.4 | 0.0 | 5.0 | 0 | 7.0 | 74.6 | | 3 | | | | |
| 122 | 106 | THE KING'S SCHOO | (ROM/LIMXC) | M | 468 | 1.1 | 279.8 | -5.0 | 59.8 | 5 | 9 | 0 | 5 | 72.0 | 15.0 | 100 | 5 | 15.0 | 68.9 | 5.56 | 10.0 | 1C | 5 | 110 | 9.3 | 0.0 | 5.0 | 0 | 6.0 | 74.3 | | | | | | |
| 55 | 112 | GLEN GOULBURN | (PH) | F | 438 | 0.7 | 232.5 | 0.0 | 53.1 | 12 | 10 | 0 | 5 | 51.0 | 8.7 | 79 | 8 | 15.0 | 66.8 | 5.61 | 9.8 | 1C | 5 | 160 | 6.7 | 0.0 | 5.0 | 0 | 9.0 | 74.2 | | | | | | |
| 96 | 113 | FINLEY HIGH SCHO | (MA) | M | 454 | 1.3 | 256.4 | 0.0 | 56.5 | 5 | 9 | 0 | 5 | 62.0 | 12.3 | 91 | 4 | 15.0 | 68.5 | 5.66 | 8.8 | 2 | 4 | 110 | 9.1 | 0.0 | 5.0 | 0 | 6.0 | 74.2 | | | | | | |
| 9 | 88 | CHAIRO CHRISTIAN | (RAN) | M | 406 | 1.0 | 219.6 | 0.0 | 54.1 | 10 | 10 | 0 | 5 | 62.0 | 14.7 | 99 | 6 | 15.0 | 69.1 | 5.68 | 8.4 | 3 | 1 | 140 | 7.8 | 0.0 | 5.0 | 0 | 7.0 | 73.9 | | | | | | |
| 14 | 116 | GLEN GOULBURN | (PH) | M | 410 | 0.7 | 230.8 | 0.0 | 56.3 | 5 | 9 | 0 | 5 | 64.0 | 14.7 | 99 | 3 | 11.0 | 69.7 | 5.64 | 9.2 | 1B | 5 | 120 | 8.6 | 0.0 | 5.0 | 0 | 6.0 | 73.5 | | | | | | |
| 18 | 85 | A W & C J HILL | (SG) | M | 406 | 1.1 | 229.2 | 0.0 | 56.5 | 7 | 10 | 0 | 5 | 66.0 | 15.9 | 103 | 6 | 15.0 | 69.8 | 5.75 | 7.0 | 3 | 1 | 110 | 8.9 | 37.5 | 3.5 | 0 | 7.0 | 73.3 | | | | | | |
| 62 | 74 | H & C LOWEN | (MG) | M | 370 | 1.0 | 200.2 | -5.0 | 54.1 | 8 | 10 | 0 | 5 | 58.0 | 14.4 | 98 | 7 | 15.0 | 69.7 | 5.68 | 8.4 | 2 | 4 | 130 | 8.2 | 0.0 | 5.0 | 0 | 7.0 | 72.0 | | | | | | |
| 24 | 127 | LONGERENONG C | (PHxHE)(B) | M | 468 | 1.2 | 272.6 | -4.8 | 58.2 | 10 | 10 | 0 | 5 | 68.0 | 13.8 | 96 | 9 | 11.0 | 68.0 | 5.48 | 10.0 | 1C | 5 | 110 | 9.3 | 0.0 | 5.0 | 0 | 7.0 | 71.3 | | 2 | | | | |
| 79 | 103 | WARRAGUL REG. C | (LIM/ANxHE) | M | 402 | 1.0 | 237.6 | 0.0 | 59.1 | 9 | 10 | 0 | 5 | 69.0 | 16.5 | 105 | 8 | 15.0 | 69.5 | 5.81 | 5.2 | 4 | 0 | 140 | 7.9 | 0.0 | 5.0 | 0 | 6.0 | 70.6 | | | | | | |
| 46 | 123 | BILLABONG HIGH S | (SH) | F | 424 | 1.2 | 232.6 | 0.0 | 54.9 | 20 | 0 | 0 | 5 | 65.0 | 15.3 | 101 | 8 | 15.0 | 64.6 | 5.62 | 9.6 | 1B | 5 | 120 | 8.6 | 0.0 | 5.0 | 0 | 7.0 | 70.5 | | | | | | |
| 86 | 92 | BATLOW CENTRAL | (ANxHE) | M | 432 | 1.0 | 245.0 | 0.0 | 56.7 | 14 | 6 | 0 | 5 | 61.0 | 12.6 | 92 | 9 | 11.0 | 67.5 | 5.63 | 9.4 | 1C | 5 | 140 | 8.0 | 0.0 | 5.0 | 1 | 7.0 | 70.0 | | | | | | |
| 56 | 100 | GUNDAGAI HIGH S | (MG/HEXSI) | M | 440 | 1.1 | 250.8 | 0.0 | 57.0 | 12 | 10 | 0 | 5 | 61.0 | 12.0 | 90 | 11 | 7.0 | 67.6 | 5.59 | 10.0 | 1B | 5 | 140 | 8.0 | 0.0 | 5.0 | 1 | 7.0 | 70.0 | | | | | | |
| 51 | 109 | FINLEY HIGH SCHO | (PH) | M | 436 | 1.0 | 246.4 | 0.0 | 56.5 | 12 | 10 | 0 | 5 | 55.0 | 9.6 | 82 | 10 | 9.0 | 66.9 | 5.51 | 10.0 | 1C | 5 | 120 | 8.7 | 0.0 | 5.0 | 0 | 7.0 | 69.3 | | | | | | |
| 100 | 97 | LEONGATHA SEC. C | (HE) | M | 424 | 0.7 | 234.0 | 0.0 | 55.2 | 6 | 10 | 0 | 5 | 57.0 | 11.4 | 88 | 4 | 15.0 | 68.5 | 5.77 | 6.4 | 4 | 0 | 120 | 8.6 | 0.0 | 5.0 | 0 | 6.0 | 67.4 | | | | | | |
| 64 | 96 | NC/BSC VET | (AN) | M | 430 | 0.9 | 241.8 | 0.0 | 56.2 | 6 | 10 | 0 | 5 | 59.0 | 11.7 | 89 | 4 | 15.0 | 68.4 | 5.84 | 4.3 | 5 | 0 | 140 | 8.0 | 0.0 | 5.0 | 0 | 6.0 | 65.0 | | | | | | |
| 48 | 94 | COLAC COLLEGE | (AN) | M | 436 | 0.8 | 244.2 | 0.0 | 56.0 | 8 | 10 | 0 | 5 | 53.0 | 9.0 | 80 | 7 | 15.0 | 67.3 | 5.82 | 4.9 | 4 | 0 | 140 | 8.0 | 0.0 | 5.0 | 0 | 7.0 | 63.9 | | | | | | |
| 66 | 117 | NRTHN. MELB. TAF | (RP) | M | 444 | 0.8 | 269.6 | -3.7 | 60.7 | 4 | 7 | 0 | 5 | 84.0 | 20.7 | 119 | 4 | 15.0 | 70.8 | 6.61 | .0 | 6 | 0 | 140 | 8.1 | 0.0 | 5.0 | 0 | 6.0 | 63.1 | | | | | | |
| 101 | 118 | LEONGATHA SEC. C | (HE) | M | 432 | 0.8 | 230.4 | 0.0 | 53.3 | 7 | 10 | 0 | 5 | 58.0 | 12.0 | 90 | 4 | 15.0 | 68.6 | 6.04 | .0 | 6 | 0 | 130 | 8.3 | 0.0 | 5.0 | 0 | 7.0 | 62.3 | | | | | | |
| 113 | 91 | NC/BSC VET | (PH) | M | 456 | 0.9 | 261.6 | 0.0 | 57.4 | 5 | 9 | 0 | 5 | 66.0 | 13.5 | 95 | 3 | 11.0 | 68.8 | 5.97 | 1.2 | 6 | 0 | 130 | 8.4 | 0.0 | 5.0 | 0 | 6.0 | 59.1 | | | | | | |

Class 4 HEAVY EXPORT STEER 301-400 kg HSCW. Not showing more than 4 permanent incisor teeth. Ideal fat depth 10-22 mm at the P8 rump site.

| Identification | | | | Market Specifications (15 points) | | | | | | | | | | Saleable Meat Yield (40 points) | | | | | | | | | | Eating Quality (45 points) | | | | | | | | | | Results | | |
|----------------|---------|-------------------|--------------|-----------------------------------|----------------|----------|---------|-------------|---------|-----------|------------------|----------------|--------------------------|---------------------------------|----------------|------|-------------------|-------------------|---------------|---------|----------|--------------|-----|----------------------------|-----|-----|------|-----|---|-----|------|---|-----|---------|--|--|
| Tag No | Body No | Exhibitor | Breed Code | Sex S/F | Live Weight kg | WDA kg/d | HSCW kg | Wt. Pnlty % | Dress % | P8 Fat mm | Fat Col Chip pts | Butt Shape A-E | Ribeye Muscle Area sq cm | Rib Fat mm | Retail Yield % | pH # | Meat Col Chip pts | WAM/Oss Score pts | Bos Indicus % | Mbl pts | Fat Dist | TOTAL Points | Rnk | Award HK HF | | | | | | | | | | | | |
| | | | | | | | | | | 10 | 5 | 25 | 15 | 10 | 5 | 10 | 5 | 10 | 5 | 5 | 5 | 10 | 100 | | | | | | | | | | | | | |
| 149 | 182 | H A SEELEY | (CH) | M | 672 | 0.7 | 380.6 | 0.0 | 56.6 | 11 | 10 | 0 | 5 | B | 98.0 | 18.3 | 111 | 10 | 15.0 | 68.2 | 5.59 | 10.0 | 1B | 5 | 140 | 9.1 | 0.0 | 5.0 | 1 | 7.0 | 85.4 | 1 | GCH | | | |
| 150 | 173 | H A SEELEY | (CH/HEXFR) | M | 690 | 0.8 | 410.6 | 0.0 | 59.5 | 11 | 10 | 0 | 5 | B | 98.0 | 16.5 | 105 | 9 | 15.0 | 67.6 | 5.61 | 9.8 | 1B | 5 | 140 | 9.5 | 0.0 | 5.0 | 1 | 7.0 | 83.8 | 2 | 1 | | | |
| 151 | 175 | H A SEELEY | (WGUXAN) | M | 572 | 0.6 | 329.6 | 0.0 | 57.6 | 18 | 10 | 0 | 5 | C | 77.0 | 13.8 | 96 | 16 | 15.0 | 66.7 | 5.38 | 10.0 | 1C | 5 | 140 | 8.5 | 0.0 | 5.0 | 3 | 8.0 | 83.3 | 3 | | | | |
| 148 | 168 | ROSSANDER ANGU | (AN) | M | 588 | 1.1 | 346.8 | 0.0 | 59.0 | 13 | 10 | 0 | 5 | C | 72.0 | 11.1 | 87 | 13 | 15.0 | 66.4 | 5.63 | 9.4 | 1C | 5 | 140 | 8.7 | 0.0 | 5.0 | 3 | 9.0 | 81.2 | 3 | 3 | | | |
| 131 | 185 | A & MRS J WATSO | (WB/WBxH) | M | 574 | 1.1 | 329.6 | 0.0 | 57.4 | 10 | 10 | 0 | 5 | C | 73.0 | 12.3 | 91 | 10 | 15.0 | 67.1 | 5.63 | 9.4 | 1C | 5 | 140 | 8.5 | 0.0 | 5.0 | 3 | 7.0 | 80.2 | | | | | |
| 153 | 181 | ST PAULS COLLEGE | (ANxSHV) | M | 712 | 1.3 | 403.6 | 0.0 | 56.7 | 14 | 10 | 0 | 5 | C | 73.0 | 8.7 | 79 | 13 | 15.0 | 65.4 | 5.47 | 10.0 | 1B | 5 | 140 | 9.4 | 0.0 | 5.0 | 3 | 8.0 | 79.1 | | | | | |
| 135 | 180 | HC & MRS MD BER | (PH) | M | 632 | 0.9 | 372.7 | 0.0 | 59.0 | 13 | 10 | 0 | 5 | B | 77.0 | 11.4 | 88 | 9 | 15.0 | 66.3 | 5.44 | 10.0 | 1C | 5 | 140 | 9.0 | 0.0 | 5.0 | 0 | 8.0 | 78.4 | | 2 | | | |
| 146 | 186 | S ROBINSON | (PH) | M | 544 | 1.0 | 314.8 | 0.0 | 57.9 | 13 | 10 | 0 | 5 | B | 67.0 | 10.8 | 86 | 10 | 15.0 | 66.5 | 5.58 | 10.0 | 1C | 5 | 140 | 8.4 | 0.0 | 5.0 | 1 | 7.0 | 77.2 | | | | | |
| 90 | 183 | G A FARGAS | (AN) | M | 556 | 1.3 | 313.4 | 0.0 | 56.4 | 9 | 9 | 0 | 5 | B | 68.0 | 11.4 | 88 | 9 | 15.0 | 67.1 | 5.58 | 10.0 | 1C | 5 | 130 | 8.8 | 0.0 | 5.0 | 0 | 7.0 | 76.2 | | | | | |
| 89 | 171 | I & MRS A BURNSID | (MG) | M | 564 | 1.0 | 321.4 | 0.0 | 57.0 | 10 | 10 | 0 | 5 | C | 66.0 | 10.2 | 84 | 10 | 15.0 | 66.6 | 5.61 | 9.8 | 2 | 4 | 140 | 8.5 | 0.0 | 5.0 | 1 | 7.0 | 75.5 | | | | | |
| 105 | 170 | H & C LOWEN | (MG) | M | 556 | 1.1 | 317.2 | 0.0 | 57.1 | 14 | 10 | 0 | 5 | B | 73.0 | 12.9 | 93 | 12 | 15.0 | 67.0 | 5.61 | 9.8 | 3 | 1 | 180 | 6.5 | 0.0 | 5.0 | 3 | 7.0 | 75.2 | | | | | |
| 141 | 174 | A W & C J HILL | (SG) | M | 554 | 0.8 | 317.6 | 0.0 | 57.3 | 13 | 10 | 0 | 5 | B | 64.0 | 9.6 | 82 | 8 | 15.0 | 66.1 | 5.40 | 10.0 | 1C | 5 | 140 | 8.4 | 37.5 | 3.5 | 1 | 7.0 | 74.5 | | | | | |
| 144 | 177 | NRTHN. MELB. TAF | (SH) | M | 606 | 1.1 | 359.6 | 0.0 | 59.3 | 9 | 9 | 0 | 5 | B | 80.0 | 13.2 | 94 | 5 | 12.0 | 67.2 | 5.58 | 10.0 | 1C | 5 | 180 | 7.0 | 0.0 | 5.0 | 1 | 7.0 | 74.2 | | | | | |
| 143 | 179 | NRTHN. MELB. TAF | (AN) (B & P) | M | 500 | 0.9 | 290.6 | -3.5 | 58.1 | 10 | 10 | 0 | 5 | C | 67.0 | 12.3 | 91 | 10 | 15.0 | 67.4 | 5.57 | 10.0 | 1C | 5 | 170 | 6.9 | 0.0 | 5.0 | 1 | 7.0 | 73.7 | | | | | |
| 139 | 178 | FINLEY HIGH SCHO | (GV/SIMxFR) | M | 530 | 1.3 | 292.6 | 0.0 | 55.2 | 7 | 7 | 0 | 5 | C | 72.0 | 14.1 | 97 | 5 | 12.0 | 68.3 | 5.58 | 10.0 | 1B | 5 | 140 | 8.3 | 0.0 | 5.0 | 0 | 7.0 | 73.4 | | | | | |
| 88 | 172 | BILLABONG HIGH S | (SH) | M | 550 | 1.3 | 322.6 | 0.0 | 58.7 | 6 | 5 | 0 | 5 | C | 72.0 | 12.3 | 91 | 6 | 14.0 | 67.6 | 5.61 | 9.8 | 1C | 5 | 130 | 8.8 | 0.0 | 5.0 | 1 | 7.0 | 72.9 | | | | | |
| 49 | 176 | COLAC COLLEGE | (AN) | M | 564 | 1.0 | 322.8 | 0.0 | 57.2 | 10 | 10 | 0 | 5 | B | 68.0 | 10.8 | 86 | 8 | 15.0 | 66.8 | 5.69 | 8.2 | 3 | 1 | 140 | 8.5 | 0.0 | 5.0 | 0 | 8.0 | 71.5 | | | | | |
| 145 | 169 | P G & N PHILLIPS | (SG) | M | 538 | 0.7 | 296.2 | 0.0 | 55.1 | 6 | 5 | 0 | 5 | C | 61.0 | 9.6 | 82 | 5 | 12.0 | 67.1 | 5.57 | 10.0 | 1B | 5 | 140 | 8.3 | 37.5 | 3.5 | 1 | 6.0 | 65.4 | | | | | |
| 140 | 167 | HACKETT & ROBER | (SIMxRAN) | M | 698 | 1.0 | 408.6 | 0.0 | 58.5 | 12 | 10 | 0 | 5 | B | 69.0 | 7.2 | 74 | 7 | 15.0 | 65.2 | 5.81 | 5.2 | 5 | 0 | 150 | 9.1 | 0.0 | 5.0 | 1 | 7.0 | 64.5 | | | | | |
| 136 | 184 | J CRILLY | (LIMxSH) | M | 574 | 1.0 | 341.6 | 0.0 | 59.5 | 12 | 10 | 0 | 5 | B | 73.0 | 11.7 | 89 | 9 | 15.0 | 66.7 | 5.98 | .8 | 6 | 0 | 140 | 8.7 | 0.0 | 5.0 | 1 | 7.0 | 64.2 | | | | | |

Rankings 2002 Royal Melbourne Show - Schools Carcase Competition

| Quality (15 points) | | Results | |
|---------------------|-------|---------|-------|
| Place | Score | Place | Score |
| 1st | 15.0 | 1st | 15.0 |
| 2nd | 14.5 | 2nd | 14.5 |
| 3rd | 14.0 | 3rd | 14.0 |
| 4th | 13.5 | 4th | 13.5 |
| 5th | 13.0 | 5th | 13.0 |
| 6th | 12.5 | 6th | 12.5 |
| 7th | 12.0 | 7th | 12.0 |
| 8th | 11.5 | 8th | 11.5 |
| 9th | 11.0 | 9th | 11.0 |
| 10th | 10.5 | 10th | 10.5 |
| 11th | 10.0 | 11th | 10.0 |
| 12th | 9.5 | 12th | 9.5 |
| 13th | 9.0 | 13th | 9.0 |
| 14th | 8.5 | 14th | 8.5 |
| 15th | 8.0 | 15th | 8.0 |

| Quality (15 points) | | Results | |
|---------------------|-------|---------|-------|
| Place | Score | Place | Score |
| 1st | 15.0 | 1st | 15.0 |
| 2nd | 14.5 | 2nd | 14.5 |
| 3rd | 14.0 | 3rd | 14.0 |
| 4th | 13.5 | 4th | 13.5 |
| 5th | 13.0 | 5th | 13.0 |
| 6th | 12.5 | 6th | 12.5 |
| 7th | 12.0 | 7th | 12.0 |
| 8th | 11.5 | 8th | 11.5 |
| 9th | 11.0 | 9th | 11.0 |
| 10th | 10.5 | 10th | 10.5 |
| 11th | 10.0 | 11th | 10.0 |
| 12th | 9.5 | 12th | 9.5 |
| 13th | 9.0 | 13th | 9.0 |
| 14th | 8.5 | 14th | 8.5 |
| 15th | 8.0 | 15th | 8.0 |

Class 5 - Section 1 Schools & Young Farmers Competition VEALER/YEARLING 180-220 kg HSCW. Ideal fat depth 5-9 mm at the P8 rump site.

| Identification | | | | | | | | | | Market Specifications (15 points) | | | | | | | | | | Saleable Meat Yield (40 points) | | | | | | | | | | Eating Quality (45 points) | | | | | | | | | | Results | |
|----------------|---------|------------------------------|------------|---------|----------------|----------|---------|-----------|---------|-----------------------------------|------------------|----------------|-------------------|-------------|------|------------|-------------|----------------|------|---------------------------------|-----------|---------|---------------|---------|----------|--------------|-----|-------------|-----|----------------------------|---|----|---|--|--|--|--|--|--|---------|--|
| Tag No | Body No | Exhibitor | Breed Code | Sex S/F | Live Weight kg | WDA kg/d | HSCW kg | Wt. Pilty | Dress % | P8 Fat mm | Fat Col Chip pts | Butt Shape A-E | Ribeye Area sq cm | Muscle Area | NDX* | Rib Fat mm | Rib Fat pts | Retail Yield % | pH # | Meat Col Chip pts | Score pts | WAM/Oss | Bos Indicus % | Mbl pts | Fat Dist | TOTAL Points | Rnk | Award HK HF | | | | | | | | | | | | | |
| | | | | | | | | | | 10 | 5 | 25 | 15 | 10 | 5 | 10 | 5 | 5 | 10 | 5 | 10 | 5 | 5 | 10 | 5 | 10 | 5 | 10 | 5 | 10 | 5 | 10 | 5 | | | | | | | | |
| 5 | 68 | BILLABONG HIGH S (ABC) | | M | 350 | 1.0 | 209.0 | 0.0 | 59.7 | 6 | 10 | 0 | B | 71.0 | 20.1 | 117 | 4 | 15.0 | 71.7 | 5.59 | 10.0 | 1B | 5 | 120 | 8.5 | 0.0 | 5.0 | 0 | 6.0 | 84.6 | 1 | | | | | | | | | | |
| 50 | 73 | FINLEY HIGH SCHO (BW) | | M | 390 | 1.0 | 214.6 | 0.0 | 55.0 | 6 | 10 | 0 | D | 69.0 | 18.6 | 112 | 4 | 15.0 | 71.1 | 5.57 | 10.0 | 2 | 4 | 120 | 8.6 | 0.0 | 5.0 | 1 | 7.0 | 84.2 | 2 | | | | | | | | | | |
| 54 | 69 | GEELONG GRAMM (MG) | | M | 378 | 1.0 | 211.6 | 0.0 | 56.0 | 7 | 10 | 0 | C | 66.0 | 17.4 | 108 | 6 | 15.0 | 70.6 | 5.63 | 9.4 | 1C | 5 | 130 | 8.2 | 0.0 | 5.0 | 0 | 8.0 | 83.0 | 3 | 4 | | | | | | | | | |
| 126 | 60 | THE KING'S SCHOO (CHXHE) | | M | 380 | 1.0 | 227.6 | -3.5 | 59.9 | 8 | 10 | 0 | B | 68.0 | 17.1 | 107 | 5 | 15.0 | 70.0 | 5.58 | 10.0 | 2 | 4 | 130 | 8.3 | 0.0 | 5.0 | 0 | 7.0 | 77.9 | 3 | 4 | | | | | | | | | |
| 15 | 62 | GUNDAGAI HIGH S (SQM) | | M | 386 | 1.1 | 221.6 | 0.0 | 57.4 | 5 | 10 | 0 | B | 56.0 | 11.7 | 89 | 5 | 15.0 | 68.9 | 5.58 | 10.0 | 1B | 5 | 110 | 8.9 | 0.0 | 5.0 | 0 | 6.0 | 76.6 | 3 | 3 | | | | | | | | | |
| 20 | 81 | LANGWARRIN SEC. (MG) | | M | 370 | 0.9 | 205.6 | 0.0 | 55.6 | 5 | 10 | 0 | B | 58.0 | 13.8 | 96 | 4 | 15.0 | 70.0 | 5.65 | 9.0 | 2 | 4 | 130 | 8.2 | 0.0 | 5.0 | 0 | 6.0 | 76.0 | 3 | | | | | | | | | | |
| 19 | 61 | LANGWARRIN SEC. (MG) | | M | 354 | 0.9 | 194.6 | 0.0 | 55.0 | 4 | 8 | 0 | B | 59.0 | 15.3 | 101 | 3 | 15.0 | 70.9 | 5.51 | 10.0 | 2 | 4 | 130 | 8.2 | 0.0 | 5.0 | 0 | 5.0 | 75.5 | 3 | | | | | | | | | | |
| 43 | 82 | BATLOW CENTRAL (MG) | | M | 372 | 0.9 | 202.0 | 0.0 | 54.3 | 8 | 10 | 0 | B | 52.0 | 11.1 | 87 | 6 | 15.0 | 68.7 | 5.67 | 8.6 | 2 | 4 | 120 | 8.5 | 0.0 | 5.0 | 1 | 7.0 | 75.2 | 3 | | | | | | | | | | |
| 10 | 56 | GEELONG GRAMM (MG) | | M | 350 | 0.9 | 198.6 | 0.0 | 56.7 | 4 | 8 | 0 | C | 55.0 | 12.9 | 93 | 5 | 15.0 | 70.0 | 5.57 | 10.0 | 1C | 5 | 110 | 8.7 | 0.0 | 5.0 | 0 | 5.0 | 74.6 | 3 | | | | | | | | | | |
| 16 | 59 | GUNDAGAI HIGH S (SQM) | | M | 348 | 1.0 | 197.4 | 0.0 | 56.7 | 7 | 10 | 0 | B | 63.0 | 17.1 | 107 | 7 | 15.0 | 70.9 | 5.83 | 4.6 | 3 | 1 | 110 | 8.7 | 0.0 | 5.0 | 1 | 7.0 | 74.4 | 3 | | | | | | | | | | |
| 28 | 79 | NRTHN. MELB. TAF (LIM/ANXHE) | | M | 378 | 1.1 | 223.2 | 0.0 | 59.0 | 6 | 10 | 0 | C | 64.0 | 15.3 | 101 | 5 | 15.0 | 69.9 | 5.68 | 8.4 | 3 | 1 | 120 | 8.6 | 0.0 | 5.0 | 0 | 6.0 | 74.3 | 3 | | | | | | | | | | |
| 11 | 70 | GEELONG GRAMM (MG) | | M | 386 | 1.0 | 208.4 | 0.0 | 54.0 | 5 | 10 | 0 | B | 49.0 | 9.3 | 81 | 5 | 15.0 | 68.4 | 5.68 | 8.4 | 2 | 4 | 120 | 8.5 | 0.0 | 5.0 | 0 | 7.0 | 72.2 | 3 | | | | | | | | | | |
| 124 | 57 | THE KING'S SCHOO (CH/ANXHE) | | M | 392 | 1.0 | 230.4 | -4.7 | 58.8 | 10 | 10 | 0 | C | 62.0 | 13.8 | 96 | 9 | 9.0 | 68.7 | 5.66 | 8.8 | 2 | 4 | 110 | 8.9 | 0.0 | 5.0 | 1 | 9.0 | 69.8 | 3 | | | | | | | | | | |
| 68 | 64 | NRTHN. MELB. TAF (MG) | | M | 314 | 0.8 | 184.6 | 0.0 | 58.8 | 4 | 8 | 0 | B | 59.0 | 16.2 | 104 | 4 | 15.0 | 71.5 | 5.89 | 3.2 | 4 | 0 | 130 | 8.2 | 0.0 | 5.0 | 0 | 7.0 | 67.6 | 3 | | | | | | | | | | |
| 27 | 72 | NRTHN. MELB. TAF (SH) | | M | 356 | 0.9 | 211.6 | 0.0 | 59.4 | 4 | 8 | 0 | C | 67.0 | 17.7 | 109 | 3 | 15.0 | 71.2 | 5.98 | .8 | 5 | 0 | 120 | 8.5 | 0.0 | 5.0 | 0 | 6.0 | 66.0 | 3 | | | | | | | | | | |
| 12 | 66 | GEELONG GRAMM (MG) | | M | 372 | 1.0 | 206.6 | 0.0 | 55.5 | 5 | 10 | 0 | B | 46.0 | 7.8 | 76 | 7 | 15.0 | 68.0 | 5.80 | 5.5 | 4 | 0 | 130 | 8.2 | 0.0 | 5.0 | 1 | 8.0 | 65.5 | 3 | 1 | | | | | | | | | |

Class 5 - Section 2 Schools & Young Farmers Competition VEALER/YEARLING 221-260 kg HSCW. Ideal fat depth 6-12 mm at the P8 rump site.

| Identification | | | | Market Specifications (15 points) | | | | | | | | | | Saleable Meat Yield (40 points) | | | | | | | | | | Eating Quality (45 points) | | | | | | | | | | Results | | |
|----------------|---------|------------------|------------|-----------------------------------|----------------|----------|---------|------------|---------|-----------|---------|------------|-------------------|---------------------------------|------|------------|-------------|------|----------|----------------|---------------|---------|----------|----------------------------|-----|-------------|-----|---|-----|------|---|----|---|---------|---|----|
| Tag No | Body No | Exhibitor | Breed Code | Sex S/F | Live Weight kg | WDA kg/d | HSCW kg | Wt. Pility | Dress % | P8 Fat mm | Fat Col | Butt Shape | Ribeye Area sq cm | Muscle pts | NDX* | Rib Fat mm | Fat Yield % | pH # | Meat Col | WAM/ Oss Score | Bos Indicus % | Mbl pls | Fat Dist | TOTAL Points | Rnk | Award HK HF | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 10 | 5 | 1.5 | 10 | 5 | 10 | 5 | 10 | 5 | 10 |
| 24 | 127 | LONGERENONG C | (PHxHE)(B | M | 468 | 1.2 | 272.6 | -4.8 | 58.2 | 10 | 0 | 5 | C | 68.0 | 13.8 | 96 | 9 | 11.0 | 68.0 | 5.48 | 10.0 | 1C | 5 | 110 | 9.3 | 0.0 | 5.0 | 0 | 7.0 | 71.3 | | | | | | |
| 79 | 103 | WARRAGUL REG. C | (LIM/ANxHE | M | 402 | 1.0 | 237.6 | 0.0 | 59.1 | 9 | 0 | 5 | B | 69.0 | 16.5 | 105 | 8 | 15.0 | 69.5 | 5.81 | 5.2 | 4 | 0 | 140 | 7.9 | 0.0 | 5.0 | 0 | 6.0 | 70.6 | | | | | | |
| 46 | 123 | BILLABONG HIGH S | (SH) | F | 424 | 1.2 | 232.6 | 0.0 | 54.9 | 20 | 0 | 5 | C | 65.0 | 15.3 | 101 | 8 | 15.0 | 67.6 | 5.62 | 9.6 | 1B | 5 | 120 | 8.6 | 0.0 | 5.0 | 0 | 7.0 | 70.5 | | | | | | |
| 86 | 92 | BATLOW CENTRAL | (ANxHE) | M | 432 | 1.0 | 245.0 | 0.0 | 56.7 | 14 | 6 | 5 | B | 61.0 | 12.6 | 92 | 9 | 11.0 | 67.5 | 5.63 | 9.4 | 1C | 5 | 140 | 8.0 | 0.0 | 5.0 | 1 | 7.0 | 70.0 | | | | | | |
| 56 | 100 | GUNDAGAI HIGH S | (MG/HEXSI | M | 440 | 1.1 | 250.8 | 0.0 | 57.0 | 12 | 0 | 5 | B | 61.0 | 12.0 | 90 | 11 | 7.0 | 67.6 | 5.59 | 10.0 | 1B | 5 | 140 | 8.0 | 0.0 | 5.0 | 1 | 7.0 | 70.0 | | | | | | |
| 51 | 109 | FINLEY HIGH SCHO | (PH) | M | 436 | 1.0 | 246.4 | 0.0 | 56.5 | 12 | 0 | 5 | C | 55.0 | 9.6 | 82 | 10 | 9.0 | 66.9 | 5.51 | 10.0 | 1C | 5 | 120 | 8.7 | 0.0 | 5.0 | 0 | 7.0 | 69.3 | | | | | | |
| 100 | 97 | LEONGATHA SEC.C | (HE) | M | 424 | 0.7 | 234.0 | 0.0 | 55.2 | 6 | 10 | 5 | C | 57.0 | 11.4 | 88 | 4 | 15.0 | 68.5 | 5.77 | 6.4 | 4 | 0 | 120 | 8.6 | 0.0 | 5.0 | 0 | 6.0 | 67.4 | | | | | | |
| 64 | 96 | NC/BSC VET | (AN) | M | 430 | 0.9 | 241.8 | 0.0 | 56.2 | 6 | 10 | 5 | B | 59.0 | 11.7 | 89 | 4 | 15.0 | 68.4 | 5.84 | 4.3 | 5 | 0 | 140 | 8.0 | 0.0 | 5.0 | 0 | 6.0 | 65.0 | | | | | | |
| 48 | 94 | COLAC COLLEGE | (AN) | M | 436 | 0.8 | 244.2 | 0.0 | 56.0 | 8 | 10 | 5 | B | 53.0 | 9.0 | 80 | 7 | 15.0 | 67.3 | 5.82 | 4.9 | 4 | 0 | 140 | 8.0 | 0.0 | 5.0 | 0 | 7.0 | 63.9 | | | | | | |
| 66 | 117 | NRTHN. MELB. TAF | (RP) | M | 444 | 0.8 | 269.6 | -3.7 | 60.7 | 4 | 7 | 5 | B | 84.0 | 20.7 | 119 | 4 | 15.0 | 70.8 | 6.61 | .0 | 6 | 0 | 140 | 8.1 | 0.0 | 5.0 | 0 | 6.0 | 63.1 | | | | | | |
| 101 | 118 | LEONGATHA SEC.C | (HE) | M | 432 | 0.8 | 230.4 | 0.0 | 53.3 | 7 | 10 | 5 | C | 58.0 | 12.0 | 90 | 4 | 15.0 | 68.6 | 6.04 | .0 | 6 | 0 | 130 | 8.3 | 0.0 | 5.0 | 0 | 7.0 | 62.3 | | | | | | |
| 113 | 91 | NC/BSC VET | (PH) | M | 456 | 0.9 | 261.6 | 0.0 | 57.4 | 5 | 9 | 5 | C | 66.0 | 13.5 | 95 | 3 | 11.0 | 68.8 | 5.97 | 1.2 | 6 | 0 | 130 | 8.4 | 0.0 | 5.0 | 0 | 6.0 | 59.1 | | | | | | |

Class 5 - Section 4 Schools & Young Farmers Competition HEAVY EXPORT STEER 301-400 kg HSCW. Not showing more than 4 permanent incisor teeth. Ideal fat depth 10-22 mm at the P8 rump site.

| Identification | | | | Market Specifications (15 points) | | | | | | Saleable Meat Yield (40 points) | | | | | | Eating Quality (45 points) | | | | | | Results | | | | | | | |
|----------------|---------|------------------|-------------|-----------------------------------|----------------|----------|---------|-------------|---------|---------------------------------|---------|----------------|--------------------------|-------------------------|------------|----------------------------|------|----------|---------------|---------------|---------|----------|--------------|-----|-------------|-----|------|--|--|
| Tag No | Body No | Exhibitor | Breed Code | Sex S.F | Live Weight kg | WDA kg.d | HSCW kg | Wt. Pnlty % | Dress % | P8 Fat mm | Fat Col | Bull Shape A-E | Ribeye Muscle Area sq cm | Ribeye Muscle Area NDX* | Rib Fat mm | Retail Yield % | pH # | Meat Col | WAM Oss Score | Bos Indicus % | Mbl pis | Fat Dist | TOTAL Points | Rnk | Award HK HF | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 153 | 181 | ST PAULS COLLEGE | (ANxSHV) | M | 712 | 1.3 | 403.6 | 0.0 | 56.7 | 14 | 10 | 0 | 5 | 79 | 13 | 65.4 | 5.47 | 10.0 | 1B | 5 | 140 | 9.4 | 0.0 | 5.0 | 3 | 8.0 | 79.1 | | |
| 144 | 177 | NRTHN. MELB. TAF | (SH) | M | 606 | 1.1 | 359.6 | 0.0 | 59.3 | 9 | 9 | 0 | 5 | 94 | 5 | 67.2 | 5.58 | 10.0 | 1C | 5 | 180 | 7.0 | 0.0 | 5.0 | 1 | 7.0 | 74.2 | | |
| 143 | 179 | NRTHN. MELB. TAF | (AN)(B & P) | M | 500 | 0.9 | 290.6 | -3.5 | 58.1 | 10 | 10 | 0 | 5 | 91 | 10 | 67.4 | 5.57 | 10.0 | 1C | 5 | 170 | 6.9 | 0.0 | 5.0 | 1 | 7.0 | 73.7 | | |
| 139 | 178 | FINLEY HIGH SCHO | (GV/SIMxFR) | M | 530 | 1.3 | 292.6 | 0.0 | 55.2 | 7 | 7 | 0 | 5 | 97 | 5 | 68.3 | 5.58 | 10.0 | 1B | 5 | 140 | 8.3 | 0.0 | 5.0 | 0 | 7.0 | 73.4 | | |
| 88 | 172 | BILLABONG HIGH S | (SH) | M | 550 | 1.3 | 322.6 | 0.0 | 58.7 | 6 | 5 | 0 | 5 | 91 | 6 | 67.6 | 5.61 | 9.8 | 1C | 5 | 130 | 8.8 | 0.0 | 5.0 | 1 | 7.0 | 72.9 | | |
| 49 | 176 | COLAC COLLEGE | (AN) | M | 564 | 1.0 | 322.8 | 0.0 | 57.2 | 10 | 10 | 0 | 5 | 86 | 8 | 66.8 | 5.69 | 8.2 | 3 | 1 | 140 | 8.5 | 0.0 | 5.0 | 0 | 8.0 | 71.5 | | |